

# Zertifikat *Certificate*

**Zertifikatsnummer** *Certificate No.:*  
PV 50704661 0001

**Berichtsnummer** *Report No.:*  
CN25HGE1 001

**Genehmigungsinhaber** *License Holder:*  
OYAK PV PANEL ÜRETİM ANONİM ŞİRKETİ  
CEVİZLİ MAH. TUGAY YOLU CAD.  
NO:10 C İÇ KAPI NO: 102MALTEPE  
34846 İSTANBUL  
Türkiye

**Fertigungsstätte** *Manufacturing Site:*  
OYAK PV PANEL ÜRETİM ANONİM ŞİRKETİ  
BÜĞDÜZ MAH. KAYMAKAM A. GALİP  
KAYA CAD. NO: 14 AKYURT  
06750 ANKARA  
Türkiye

## Prüfzeichen *Test Mark:*



## Geprüft nach *Tested according to:*

IEC 61215-1:2021  
IEC 61215-1-1:2021  
IEC 61215-2:2021  
IEC 61730-1:2023  
IEC 61730-2:2023  
EN IEC 61215-1:2021  
EN IEC 61215-1-1:2021  
EN IEC 61215-2:2021  
EN IEC 61730-1:2018  
EN IEC 61730-2:2018

## Geräteidentifikation

### *Product Identification*

**Produkt:** PV Module  
*Product:*

**Modell:** Modelle sind auf nächste(r) Seite(n) gelistet  
*Type:* *Type designation(s) are listed on the next page(s)*

**Technische Daten:** Class II acc. to IEC 61140  
*Technical Data:* For other ratings, refer to the test report

**Gültig bis:** 2030-11-27  
*Date of expiry:*

**Gültig ab:** 2025-11-28  
*Valid from:*

**Ausstellungsdatum:** 2025-11-28  
*Date of issue:*

**Zertifizierungsstelle:**  
*Certification body:*

Angela Yao



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.  
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.  
*This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.*

**TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg**  
<http://www.tuv.com/safety> E-mail: [markcheck@tuv.com](mailto:markcheck@tuv.com)  
Fax: +49 221 806-3935

# Zertifikat *Certificate*

**Zertifikatsnummer** *Certificate No.:*

PV 50704661 0001

**Berichtsnummer** *Report No.:*

CN25HGE1 001

**Produkt** *Product:* PV Module**Modell** *Type:***Bezeichnung** *Designation:*

Max. System Voltage: up to 1500 VDC (Voc at STC):

With 1/2 cut of mono c-Si cells:

OPV66T16-DG-xxxW

(xxx=600-630, in steps of 5, 132 cells, Pmax@BNPI=670-700)

OPV72T16-DG-xxxW

(xxx=575-600, in steps of 5, 144 cells, Pmax@BNPI=640-665)

xxx represents output power in Wp

**Remarks:**

Fire Rating: Class A (according to UL 790)

Design Load/Safety Factors: 3600 Pa/1.5 (downward)

1600 Pa/1.5 (upward)

**Conditions:**

The product test is voluntarily according to technical regulations.

Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.

